



SUPERCLOUR ULTRA



A range of distinctly coloured asphalts that use a clear binder. The special binder is readily pigmented and provides a wide range of asphalt colours.

Supercolour Ultra is available in 6 popular colours, including; Buff, Natural Gravel, Grey, Red, Blue and Green. Bespoke colours including Light Buff, White and Copper are also available on request.

The intensity of colour can be varied by altering the amount of pigmentation; subtle colours to harmonise with site surroundings can be achieved. It should be noted that similar to most decorative architectural products, the colours and finish of Supercolour Ultra will alter over time due to weathering and wear.

Supercolour Ultra is available in a range of sizes 6, and 10mm to suit a range of thicknesses dependent on scheme requirements.

Due to the nature of the binder this product can be transported further and remain workable for a greater period of time than standard asphalt materials.

- ▶ Allows option of visual variety for road surfaces and public areas
- ▶ Allows clients to enhance safety through colour coded demarcation areas
- ▶ With very light colours it can lead to a significant reduction in the energy required for lighting and improve visibility and safety.

LAYER

Surface course.

APPLICATIONS

- ▶ Commercial schemes
- ▶ Footpaths and pedestrian areas
- ▶ Cycle lanes
- ▶ Domestic (driveways and garden)
- ▶ Prestige schemes
- ▶ Playgrounds
- ▶ Roads (10mm)

Material grading	Nominal layer thickness (mm)	Binder type
6mm	30-40	Clear binder
10mm	35-45	Clear binder

SUSTAINABILITY AND LOCAL SOURCING

ENERGY USE AND GREENHOUSE GAS EMISSIONS:

Aggregate Industries is at the forefront of sustainability and has committed to reducing both energy and greenhouse gas intensity 5% year-on-year.

RECYCLABLE: 100% of the product can be recycled thus reducing the amount of material that is sent to landfill.

MANUFACTURING LOCATION: Produced in the UK, with locally sourced materials under strict environmental and social legislation, for local supply.

RESPONSIBLE SOURCING: Aggregate Industries is the first company in the world to achieve accreditation to the BES 6001 Framework Standard for the Responsible Sourcing of Construction Products.

Aggregate Industries has achieved a 'Good' rating for major product groups. The BES 6001 standard assesses:

- ▶ Quality Management
- ▶ Environmental Management
- ▶ Health and Safety Management
- ▶ Greenhouse Gas Emissions
- ▶ Minimising Raw Material Usage
- ▶ Labour Practice
- ▶ Biodiversity
- ▶ Community Engagement

AGGREGATE

SuperColour Ultra is a gap-graded SMA that can be supplied as 10 and 6mm surface course.

BINDER

Aggregate Industries approved clear binder for enhanced adhesion & durability.

INSTALLATION

Complete Installation guide is available with your order.

MANUFACTURING STANDARD

All aggregate Industries products are manufactured in accordance with ISO 9001 with factory compliance to ISO 14001.

POLICIES

Aggregate Industries' policies on the environment and community, health and safety and sustainable solutions for different product applications can be viewed on our website www.aggregate.com.

HEALTH AND SAFETY: COSHH DATA

Full COSHH data on asphalt products is available on request. Please call the technical helpline on 0845 600 0860.

TECHNICAL SUPPORT

Detailed guidance and assistance with the preparation of specification and use of asphalt products is available through the sales office. A free technical service is also available.

For further information, please refer to our asphalt technical services on 0845 600 0860.

The information contained within this publication was accurate at time of production. However, Aggregate Industries reserves the right to introduce modifications or changes to detail at any time without notice. No charge is levied for this publication or advice therein, and accordingly the company, its employees and authorised agents can accept no liability whatsoever, either indirectly or directly arising from the use of its products in connection with any information or advice contained in this guide.

